

# **Breast Scintigraphy Bibliography**

## **A Literary History from Scintimammography to Breast-Specific Gamma Imaging (BSGI)**

### **1995 – 1997**

1. Pinder SE, Wencyk P, Sibbering DM et al. Assessment of the new proliferation marker MIBI in breast carcinoma using image analysis: associations with other prognostic factors and survival. *Br J Cancer*. 1995;71:146-149.
2. Palmedo H, Schomburg A, Grunwald F, Mallmann P, Boldt I, Biersack HJ. Scintimammography with Tc-99m MIBI in patients with suspicion of primary breast cancer. *Nucl Med Biol*. 1996 Aug; 23(6):681- 4.
3. Buscombe JR, Cwikla JB, Thakrar DS, Hilson AJ. Scintigraphic imaging of breast cancer: a review. *Nucl Med Commun*. 1997 Aug;18(8):698-709.
4. Palmedo H, Bender H, Grunwald F, Mallmann P, Zamora P, Krebs D, Biersack HJ. Comparison of fluorine-18 fluorodeoxyglucose positron emission tomography and technetium-99m methoxyisobutylisnitrile scintimammography in the detection of breast tumours. *Eur J Nucl Med*. 1997 Sep;24(9):1138-45.
5. Tiling R, Sommer H, Pechmann M, Moser R, Kress K, Pfluger T, Tatsch K, Hahn K. Comparison of technetium-99m-sestamibi scintimammography with contrast-enhanced MRI for diagnosis of breast lesions. *J Nucl Med* 1997 Jan;38(1):58-62.
6. Maini CL, Tofani A, Sciuto R, et al. Technetium-99m MIBI scintigraphy in the assessment of neoadjuvant chemotherapy in breast carcinoma. *J Nucl Med*. 1997;38:1546-1550.
7. Fenlon HM, Phelan NC, O'Sullivan P, Tierney S, Gorey T, Ennis JT. Benign versus malignant breast disease: comparison of contrast-enhanced MR imaging and Tc-99m tetrofosmin scintimammography. *Radiology* 1997 Oct;205(1):214-20.
8. Tiling R, Khalkhali I, Sommer H, Moser R, Meyer G, Willemsen F, Pfluger T, Tatsch K, Hahn K. Role of technetium-99m sestamibi scintimammography and contrast-enhanced magnetic resonance imaging for the evaluation of indeterminate mammograms. *Eur J Nucl Med* 1997 Oct;24(10):1221-9.

### **1998-Present**

9. Taillefer R. The role of 99m sestamibi and other conventional radiopharmaceuticals in breast cancer diagnosis. *Sem Nucl Med* 1999; 29:16-40.
10. Scopinaro F, Pani R, de Vincentis G, Soluri A, Pellegrini R, Porfiri LM, High-resolution scintimammography improves the accuracy of Tc-99m methoxyisobutylisnitrile scintimammography: use of a new dedicated gamma camera. *Eur. J. Nucl. Med.* vol. 26, pp.1279-1288, 1999.
11. Mankoff DA, Dunnwald LK, Gralow JR, Ellis GK, Drucker MJ, Livingston RB. Monitoring the response of patients with locally advanced breast carcinoma to neoadjuvant chemotherapy using [Technetium-99m] – sestamibi scintimammography. *Cancer*. 1999; 85:2410-2423.
12. Chen S, Liu W, Mao Y, Zhu W, Yao Z, et al. 99m Tc-MIBI and 99m Tc-MDP scintimammography for detecting breast carcinoma. *Chin Med J* 2000; 113(5):400-403.
13. Mulero F, Nicolas F, Castellon MI, Fuentes T, et al. [99m Tc-mibi scintigraphy compared to mammography in the diagnosis of breast cancer in dense, operated and young women breasts. *Rev Esp Med Nucl*. 2000; 19(5):344-349.

14. Cwikla JB, Buscombe JR, Hilson AJ. Detection of DCIS using 99mTc-MIBI scintimammography in patients with suspected primary breast cancer, comparison with conventional mammography. *Nucl Med Rev Cent East Eur.* 2000; 3(1):41-5.
15. Stuntz ME, Khalkhali I, Kakuda JT, et al. Scintimammography. *Seminars In Breast Disease.* 2000;2:97-106
16. Allen MW, Hendi P, Schwimmer J, Bassett L, Gambhir SS. Decision analysis for the cost effectiveness of sestamibi scintimammography in minimizing unnecessary biopsies. *Q J Nucl Med.* 2000 Jun;44(2):168-85.
17. Majewski S. Kieper D. Curran E. Keppel C. Kross B. Palumbo A. Popov V. Weisenberger A.G. Welch B. Wojcik R. Williams M.B. Goode A.R. Moore M. Zang G. Optimization of dedicated scintimammography procedure using detector prototypes and compressible phantoms. *IEEE Transactions of Nuclear Science Conference Volume 41.* June 2001.
18. Marini C, Cilotti A, Traino AC, et al. Tc 99m-sestamibi scintimammography in the differentiation of benign and malignant breast microcalcifications. *Breast* 2001; 10:306–312.
19. Polan RL, Klein BD, Richman RH. Scintimammography in patients with minimal mammographic or clinical findings. *Radiographics* 2001;21:641-53.
20. Cwikla JB, Buscombe JR, Holloway B, et al. Can scintimammography with 99mTc-MIBI identify multifocal and multicentric primary breast cancer? *Nucl Med Commun* 2001; 22:1287–1293.
21. Taillefer R, Robidoux A, Turpin S, Lambert R, Cantin J, Leveille J. Metastatic axillary lymph node technetium-99m-MIBI imaging in primary breast cancer. *J Nucl Med, Vol 39, Issue 3* 459-464.
22. Garibaldi F, Cisbani E, Cusanno F, Iommi R, Urciuoli GM, Pani R, Pellegrini R, Scafe R, Indovina L, Cinti MN, Trotta G. Optimization of compact gamma cameras for breast imaging. *Nucl. Instr. & Meth. in Phys Res. Sec. A* Vol. 471, no. 1, p. 222, 2001.
23. Wang HC, Sun SS, Kao A, Lin CC, Lee CC. Comparison of technetium-99m methoxyisobutylisonitrile scintimammography and ultrasonography in the diagnosis of breast cancer in patients with mammographically dense breast. *Cancer Invest.* 2002; 20(3):318-23.
24. Chen YS, Wang WH, Chan T, Sun SS, Kao A. A review of the cost-effectiveness of Tc-99m sestamibi scintimammography in diagnosis of breast cancer in Taiwanese women with indeterminate mammographically dense breast. *Surg Oncol.* 2002 Nov; 11(3):151-5.
25. Lumachi F, Zucchetta P, Marzola MC, Ferretti G, Povolato M, Paris MK, Brandes AA, Bui F. Positive predictive value of 99mTc sestamibi scintimammography in patients with non-palpable, mammographically detected, suspicious, breast lesions. *Nucl Med Commun.* 2002 Nov; 23(11):1073 - 8.
26. Brem RF, Schoonjans JM, Kieper DA, Majewski S, Goodman S, Civelek C. High-resolution scintimammography: a pilot study. *J Nucl Med.* 2002; 43:909-915.
27. Mankoff DA, Dunnwald LK, Gralow JR, et al. Blood flow and metabolism in locally advanced breast cancer: relationship to response to therapy. *J Nucl Med.*2002;43:500-509.
28. Sallomi DF, Howlett DC, Ementon RA, Marchbank ND, Anderson HJ, Allan SM. Scintimammography: a pictorial review of the variable normal, post surgical and pathological appearances. *Breast.* 2002 Feb; 11(1):41-8.
29. Babucco O, Peksoy I, Kargi E, Hosnuter M, Ozdemir H Gundogdu S, et al. the value of scintimammography in reduction mammoplasties: a preliminary study. *Aesthetic Plast Surg.* 2003;27(4):296-300.
30. Brem R, Kieper D. Rapelyea J. Majewski S. Evaluation of a high-resolution, breast-specific, small-field-of-view gamma camera for the detection of breast cancer. *Nucl Instr and Meth.* 2003; 497(1):168 – 173.

31. Chen J, Wu H, Zhou J, Hu J. Using Tc-99m MIBI scintimammography to differentiate nodular lesions in breast and detect axillary lymph node metastases from breast cancer. *Chin Med J (Engl)*. 2003 Apr;116(4):620-4.
32. Kieper D, Green TD, Hoefler R, Keppel C, Wymer DC, Weisenberger AG, Welch B. Data analysis methods for a small field-of-view combined scintimammography/digital X-ray system in breast lesion management. *Nucl Instr and Meth A*. 2003; 497: 135-140.
33. Krishnaiah G, Sher-Ahmed A, Ugwu-Dike M, Regan P, Singer J, Totoonchie A, Spiegler E, Sardi A. Technetium-99m sestamibi scintimammography complements mammography in the detection of breast cancer. *Breast J*. 2003 Jul-Aug;9(4):288-94.
34. Mankoff DA, Dunnwald LK, Gralow JR, et al. Changes in blood flow and metabolism in locally advanced breast cancer treated with neoadjuvant chemotherapy. *J Nucl Med*. 2003; 44:1806-1814.
35. Peng NJ, Chang HT, Tsay DG, Liu RS. Technetium-99m-sestamibi scintimammography to detect breast cancer in patients with paraffinomas or siliconomas after breast augmentation. *Cancer Biother Radiopharm*. 2003 Aug;18(4):573-80.
36. Sampalis F.S. et al. International prospective evaluation of scintimammography with 99mTechnetium sestamibi. *Amer Journ Surg*. 2003. 185 544–549.
37. Bekis R, Derebek E, Balci P, Kocdor MA, Degirmenci B, Canda T, Durak H. 99mTc sestamibi scintimammography. Screening mammographic non-palpable suspicious breast lesions: preliminary results. *Nuklearmedizin*. 2004 Feb;43(1):16-20.
38. Bongers V, Perre C, de Hooge P. The use of scintimammography for detecting the recurrence of loco-regional breast cancer: histopathologically proven results. *Nucl Med Commun*. 2004 Feb; 25(2):145-9.
39. Coover LR, Caravaglia G, Kuhn P. Scintimammography with dedicated breast camera detects and localizes occult carcinoma. *J Nucl Med*. 2004 Apr;45(4):553-8.
40. Schillaci O, Buscombe JR. Breast scintigraphy today: indications and limitations. *Eur J Nucl Med Mol Imaging*. 2004 Jun;31 Suppl 1:S35-45. Epub 2004 Apr 23.
41. Rhodes DJ, O'Connor MK, Phillips SW, Smith RL, Collins DA. Molecular breast imaging: a new technique using technetium Tc 99m scintimammography to detect small tumors of the breast. *Mayo Clin Proc*. 2005;80:24-30.
42. Brem R, Rapelyea J, Zisman G, et al. Occult breast cancer: scintimammography with high-resolution breast-specific gamma camera in Women at High Risk for Breast Cancer. *Radiology*. 2005; 237:274-280.
43. Dunnwald LK, Gralow JR, Ellis GK, Livingston RB, Linden HM, Lawton TJ, Barlow WE, Schubert EK, Mankoff DA. Residual tumor uptake of [(99m)Tc]-sestamibi after neoadjuvant chemotherapy for locally advanced breast carcinoma predicts survival. *Cancer*. 2005 Feb 15; 103(4):680-8.
44. Taillefer R, et al. Clinical Applications of Scintimammography. *Sem Nuc Med*. 2005; 35:100-15.
45. Rhodes DJ, O'Connor MK, Phillips SW, Smith RL, Collins DA. Molecular breast imaging: a new technique using technetium Tc 99m scintimammography to detect small tumors of the breast. *Mayo Clin Proc*. 2005 Jan;80(1):24-30.
46. Kieper D, Brem R, Hoefler R, Keppel C, Wymer D. Detecting Infiltrating Lobular Carcinoma Using Scintimammographic Breast Specific Gamma Imaging. *Physica Medica*, Vol. XXI, Supplement 1, 2005.
47. Cox C. Et al. Localization of an Occult Primary Breast Cancer with Technetium-99m Sestamibi Scan and an Intraoperative Gamma Probe. *Cancer Control Journal: Imaging in Oncology*. 2006 Feb. <http://www.moffitt.usf.edu/pubs/ccj/v3n5/dept3.html>.

48. Hussain R, Buscombe JR. A meta-analysis of scintimammography: an evidence-based approach to its clinical utility. *Nucl Med Commun*. 2006 Jul;27(7):589-94.
49. Lumachi F, Tregnaghi A, Ferretti G, Povolato M, Marzola MC, Zucchetta P, Cecchin D, Bui F. Accuracy of ultrasonography and <sup>99m</sup>Tc-sestamibi scintimammography for assessing axillary lymph node status in breast cancer patients. A prospective study. *Eur J Surg Oncol*. 2006 Nov; 32(9):933-6. Epub 2006 Jun 21.
50. Gommans GM, van der Zant FM, van Dongen A, Boer RO, Teule GJ, de Waard JW. (99m)Technetium-sestamibi scintimammography in non-palpable breast lesions found on screening X-ray mammography. *Eur J Surg Oncol*. 2007 Feb;33(1):23-7. Epub 2006 Nov 27.
51. O'Connor MK, Phillips SW, Hruska CB, Rhodes DJ, Collins DA. Molecular breast imaging: advantages and limitations of a scintimammographic technique in patients with small breast tumors. *Breast J*. 2007 Jan-Feb;13(1):3-11.
52. Brem R, Fishman M, Rapelyea JA. Detection of Ductal Carcinoma in Situ with Mammography, Breast Specific Gamma Imaging, and Magnetic Resonance Imaging: A Comparative Study. *Academic Radiology* Volume 14, Issue 8, Pages 945-950. August 2007.
53. Brem R, Petrovitch I, Rapelyea J, Young H, Teal C, Kelly T. Breast-Specific Gamma Imaging with <sup>99m</sup>Tc-Sestamibi and Magnetic Resonance Imaging in the Diagnosis of Breast Cancer—A Comparative Study. *The Breast Journal*. Volume 13 Issue 5 Page 465-469, September 2007.
54. Zhou M, Johnson N, Blanchard D, Bryn S, Nelson J. Real-world application of breast-specific gamma imaging, initial experience at a community breast center and its potential impact on clinical care. *The American Journal of Surgery* (2008) 195, 631–635.
55. Brem R, Floerke A, Rapelyea J, Teal C, Kelly T, Mathur V. Breast Specific Gamma Imaging as an Adjunct Imaging Modality for the Diagnosis of Breast Cancer. *Radiology*. 2008; 247(3):651-57.
56. Zhou M, Johnson N, Gruner S, Ecklund GW, Muenier P, Bryn S, Green G, et al. Clinical Utility of Breast Specific Gamma Imaging For Evaluating Disease Extent in the Newly Diagnosed Breast Cancer Patient. *The American Journal of Surgery*, Vol 197, No 2, February 2009.
57. Brem R, et al. Breast Specific Gamma Imaging in Women with One Suspicious or Cancerous Breast Lesion. Invasive Lobular Carcinoma: Detection with Mammography, Ultrasound, Magnetic Resonance Imaging, and Breast-specific Gamma Imaging (BSGI). *The American Journal of Roentgenology*, 192, February 2009; Pages 379 – 383.

**Abstracts:**

58. Brem R, Kieper D, Rapelyea J, Majewski S, Raub J. High-Resolution Scintimammography as an Adjunct for the Diagnosis of Breast Cancer in High-Risk Women with Normal Mammograms and Physical Examination. *RSNA Annual Meeting Chicago IL, December 1 – 5, 2003*
59. Wymer DC, Green T, Keppel C, Kieper D, Weisenberger A, Majewski S. Evaluation of clinically occult mammographic abnormalities using scintimammography with enhanced gamma camera imaging. *SNM Annual Meeting. New Orleans LA, June 21-25 2003*.
60. Kieper D, Brem R, Keppel C, Majewski S, Weisenberger A, Welch B. An Introduction to Breast Specific Gamma Imaging. *NCBC Annual Conference, Las Vegas Nevada, Feb 28 – Mar 3, 2003*.
61. O'Connor M. Semi-Conductor Gamma Conductor Gamma Cameras and Cameras and Their Use in Breast Imaging Their Use in Breast Imaging. *IEEE Annual Medical Imaging Meeting. Rome Italy. October 2004*.

62. Petrovitch I, Brem R, Rapelyea J, Young H, Raub J. High resolution Molecular Breast Imaging with 99m-MIBI and Magnetic Resonance Imaging in the Assessment of Breast Cancer. Oral presentation, 2005 RSNA annual meeting, Chicago IL, Nov 29<sup>th</sup>, 2005.
63. Brem R, Rapelyea JA, Raub J, Zawistowski G, Tsai T. Detection of Invasive Lobular Carcinoma using a High-Resolution Breast-Specific Gamma Camera. Poster Presentation. NCBC Annual Conference March 15<sup>th</sup>, 2006.
64. Cocilovo C, Greene T, Gross J, Whelan D, Valdes E, Boolbol S, Feldman S. Breast Specific Gamma Imaging : A Clinical Pilot Study. Poster Presentation. ASBD National Meeting. Las Vegas NV. April 28<sup>th</sup>, 2006.
65. Floerke A, Brem R, Rapelyea J, Teal C, Kelly T. Breast Specific Gamma Imaging as an Adjunct Imaging Modality for the Diagnosis of Breast Cancer. Oral Presentation American Roentgen Ray Society (ARRS) meeting. Orlando, FL. May 9, 2007.
66. Weigert J. Breast Specific Gamma Imaging (High Resolution Molecular Imaging of the Breast): A Useful Adjunct to Breast Imaging. RSNA Poster Session. RSNA Annual Meeting. Chicago IL, November 2007.
67. Zhou M, Johnson N, Blanchard D, Bryn S, Nelson J. Breast-Specific Gamma Imaging Changes Patient Care Management. North Pacific Surgical Conference Annual Meeting. Vancouver Canada. November 10<sup>th</sup>, 2007.
68. Bertrand M. First Year's Experience using Breast-Specific Gamma Imaging: A comparative analysis with Mammography, Ultrasound and MRI in the Detection of Breast Cancer. Miami Breast Cancer Conference. Orlando Florida. February 20 -23, 2008.
69. Lanzkowsky L, Rubin D, Fu K, Brochert A, Mullins N. Breast Specific Gamma Imaging in the Management of Indeterminate Lesions Detected on Breast MRI. National Consortium of Breast Centers Annual Conference. Las Vegas, NV. March 2 – 5, 2008.
70. Repelyea J. Breast Specific Gamma Imaging (BSGI): a Novel approach to Breast Cancer. San Antonio Breast Cancer Symposium. San Antonio, TX. December 10-14, 2008. Presentation American Roentgen Ray Society (ARRS) meeting. Orlando, FL. May 9, 2007.
71. Lanzkowsky L, et al. Breast Specific Gamma Imaging Compared to Breast MRI in Patients with Inconclusive Mammographic and Ultrasonic Findings. 2008 Radiological Society of North America Annual Meeting.
72. Brem R, et al. Breast Specific Gamma Imaging in Women with One Suspicious or Cancerous Breast Lesion. 2008 Radiological Society of North America Annual Meeting.
73. Bertrand M, et al. Breast-specific Gamma Imaging Compared to Breast MRI in the Presurgical Planning of Patients with Known Cancer Diagnosis. 2008 Radiological Society of North America Annual Meeting.
74. Weigert J, et al. Breast-specific Gamma Imaging Compared to Breast US in Patients with Mammographic Abnormalities Requiring Diagnostic Evaluation. 2008 Radiological Society of North America Annual Meeting.
75. Brill K, et al. Breast-Specific Gamma Imaging compared to Breast MRI in patients requiring diagnostic imaging after screening mammography. ASCO Annual Meeting, Washington D.C. Sept, 2008.
76. Lanzkowsky L, et al The Use of Gamma Imaging compared to MRI in Breast Patients Needing Additional Diagnostic Imaging. National Consortium of Breast Centers Annual Conference. Las Vegas, NV. March 15 - 18, 2009.
77. Lanzkowsky L, Zaporinuk, B. Women over age 65, BSGI vs. MRI, benefits in this population. National Consortium of Breast Centers Annual Conference. Las Vegas, NV. March 15 - 18, 2009.